

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	("4901307" "5101501" "5373506" "5826172" "5854785" "6111865" "6701132").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/27 10:24
L3	94	(pag\$3) with respon\$4 with (different multiple plurality) with ((base near2 station\$2) BTS BS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:56
L4	2	(pag\$3) with respon\$4 with (different) with (multiple plurality) with ((base near2 station\$2) BTS BS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:56
L5	0	("6823192").URPN.	USPAT	OR	ON	2005/07/27 12:54
L6	125	receiv\$4 with before with (handoff handover hand adj (off over) hand?off hand?over \$2select\$4) with respon\$5 with after	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 12:55
L8	13	receiv\$4 with pag\$4 with before with (handoff handover hand adj (off over) hand?off hand?over \$2select\$4) with respon\$5 with after	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:41
L9	79	receiv\$4 with pag\$4 with (abort\$4 cancel\$4 terminat\$4) with (handoff handover hand?off hand?over (hand adj (off over)) \$2select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 13:46
L10	16	receiv\$4 with pag\$4 with (abort\$4 cancel\$4 terminat\$4) with (handoff handover hand?off hand?over (hand adj (off over)) \$2select\$5) with respon\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:09
L11	68	system adj information adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 14:33
L12	10	system adj information adj type adj ("3" three)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:09

L13	412	(end\$3 terminat\$3 complet\$3) with (handoff handover hand?off hand?over (hand adj (off over))) \$2select\$5) with (rece\$6) with pag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:59
L14	8	(end\$3 terminat\$3 complet\$3) with (handoff handover hand?off hand?over (hand adj (off over))) with (rece\$6) with pag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 15:34
L15	32	(end\$3 terminat\$3 complet\$3) with (handoff handover hand?off hand?over (hand adj (off over))) with (rece\$6) with regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:17
L16	275	mak\$3 near3 before near3 break\$3 with (handoff handover hand?off hand?over (hand adj (off over)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:42
L17	1	(end\$3 stop\$4) with (monitor\$4) with (source) with ((base near2 station\$2) BTS BS) with regist\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:19
L18	6	(end\$3 stop\$4) with (monitor\$4) with (source) with ((base near2 station\$2) BTS BS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:19
L19	0	mak\$3 near3 before near3 break\$3 with (handoff handover hand?off hand?over (hand adj (off over))) with (end\$3 terminat\$3 complet\$4) with (monitor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:43
L20	27	mak\$3 near3 before near3 break\$3 with (handoff handover hand?off hand?over (hand adj (off over))) with (end\$3 terminat\$3 complet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:43
L21	565	(455/442).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:58
L22	6	(end\$3 terminat\$3 complet\$3) with (rece\$6) with pag\$4 and 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/27 16:59

S1	154	(455/449).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 13:45
S2	2181	(455/436).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 13:46
S3	599	(455/437).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 13:52
S4	2	("4527284").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 14:03
S5	562	(455/442).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 14:11
S6	2	("5129097").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 14:12
S7	2	("5574996").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 15:15
S8	2	("6377803").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/16 15:16

S9	399	(two multiple plurality) near2 (pag\$3) near2 channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 15:17
S10	23	((two multiple plurality) near2 (pag\$3) near2 channel) with simultaneous\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 10:54
S11	15	("5854785").URPN.	USPAT	OR	ON	2005/07/18 10:06
S12	4	(soft adj (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) same GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:48
S13	5	(soft near2 (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) same GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:28
S14	1	S13 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:00
S15	23	(soft near2 (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:55
S16	18	S15 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:28
S17	0	(soft near2 (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) with (cancel\$3 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:56
S18	1	(soft near2 (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) same (cancel\$3 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:56

S19	1	(soft near2 (handoff handover hand?off hand?over hand adj (off over))) same (idle pag\$3) same (cancel\$3 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:57
S20	47	((handoff handover hand?off hand?over hand adj (off over))) same (idle pag\$3) same (cancel\$3 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:57
S21	7	((handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) same (cancel\$3 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:05
S22	47	((handoff handover hand?off hand?over hand adj (off over))) same (idle pag\$3) same (cancel\$3 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:06
S23	40	S22 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:06
S24	1	((handoff handover hand?off hand?over hand adj (off over))) with (cancel\$3 abort\$3) same (pag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:07
S25	20	((handoff handover hand?off hand?over hand adj (off over))) near3 (cancel\$3 abort\$3) with (pag\$3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:45
S26	22	((handoff handover hand?off hand?over hand adj (off over))) near3 (cancel\$3 abort\$3) with (signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:54
S27	108	((handoff handover hand?off hand?over hand adj (off over))) near3 (cancel\$3 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:55
S28	68	S27 not (S25 S26)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:54

S29	7	((handoff handover hand?off hand?over hand adj (off over))) near3 (cancel\$3 abort\$3) near3 (destination target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:22
S30	20	((handoff handover hand?off hand?over hand adj (off over))) near3 (cancel\$3 abort\$3) with (destination target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:01
S31	13	S30 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:23
S32	111	((handoff handover hand?off hand?over hand adj (off over))) near3 (cancel\$4 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:47
S33	3	S32 not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:55
S34	160	((handoff handover hand?off hand?over hand adj (off over))) near5 (cancel\$4 abort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:00
S35	27	((handoff handover hand?off hand?over hand adj (off over))) with (cancel\$4 abort\$3) with (destination target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:01
S36	7	S35 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 16:01
S37	4195	((handoff handover hand?off hand?over hand adj (off over))) near3 (soft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:28
S38	392	((handoff handover hand?off hand?over hand adj (off over))) near3 (soft) with (complet\$4 terminat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:31

S39	3	((handoff handover hand?off hand?over hand adj (off over))) near3 (soft) with (complet\$4 terminat\$4) with (idle pag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:28
S40	49	((handoff handover hand?off hand?over hand adj (off over))) near3 (soft) with (complet\$4 terminat\$4) with (target destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:14
S41	2	("5101501").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:14
S42	105	(soft adj (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:50
S43	3	(soft adj (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) with (complet\$4 terminat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:12
S44	2	(soft adj (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) with (respond\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:12
S45	6	(soft adj (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) same (respond\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:06
S46	14	(soft adj (handoff handover hand?off hand?over hand adj (off over))) with (idle pag\$3) same (respon\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:06
S47	8	S46 not S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:07